MAR 2 9 2005 2		÷	
1449 (Modified)	Atty Docket No.	Application No.:	
	NOVL085/NVLS-2875	10/785,235	
Information Disclosure	Applicant:		
Statement By Applicant	Wang et al.	·	
1	Filing Date	Group	
(Use Several Sheets if Necessary)	February 23, 2004	2812	

U.S. Patent Documents

Examiner	T					Sub-	Filing
Initial,	No.	Patent No.	Date	Patentee	Class	class	Date
EN _	A1	6,391,932	05/21/02	Gore et al.	17	1	08/08/00
	A2	5,789,027	08/04/98	Watkins et al.			11/12/96
	A3	5,700,844	12/23/97	Hedrick et al.			04/09/96
	A4	20030157248	08/21/03	Watkins et al.			11/21/02
	A5	20020123240	09/05/02	Gallagher et al.			11/30/01
267	A6	20040096672	05/20/04	Lukas et al.		1	11/14/02
	A7						
	A8						
	A9						
	A10						
	A11						

Foreign Patent or Published Foreign Patent Application

Examiner		Document	Publication	Country or		Sub-	Trans	slation
Initial	No.	No.	Date	Patent Office	Class	class	Yes	No
	Bl							
							1	

Other Documents

	•					
No.	Author, Title, Date, Place (e.g. Journal) of Publication					
C1	Humayun et al., "Method For Forming Porous Films By Porogen Removal Combined With In Situ Modification", U.S. Patent No. 10/404,693, filed March 31, 2003, Office Action dated March 15, 2005					
	·					
14						
H	Date Considered 7/21/05					



m 1449 (Modified)

Atty Docket No. NOVL085/NVLS-2875

Application No.: 10/785,235

Information Disclosure Statement By Applicant Applicant: Wang et al.

(Use Several Sheets if Necessary)

Filing Date February 23, 2004

Group 2812

U.S. Patent Documents

Examiner		•				Şub-	Filing
Initial /	No.	Patent No.	Date	Patentee	Class	class	Date
M	Α	6,444,715	09/2002	Mukherjee et al.	/		
	В						
	С						
	D					†	<u> </u>
	E					1	
	F					ļ	
	G						
	Н						<u> </u>
	I						1

Foreign Patent or Published Foreign Patent Application

Examiner		Document	Publication			Sub-	Tran	slation
Initial	No.	No.	Date	Patent Office	Class	class	Yes	No
	J						1	
	K					<u> </u>		
	L							
	M							
	N							

Other Documents

Examiner		
Initial	No.	Author, Title, Date, Place (e.g. Journal) of Publication
14	0	U.S. Publication 2004/0096672 A1, "Non-Thermal Process for Forming
M		Porous Low Dielectric Constant Films, Lukas, et al., published 05/20/2004.
	P	
	Q	
Examiner _		Date Considered
	200	06000 +/2/05

m 1449 (Modified)

Information Disclosure Statement By Applicant

(Use Several Sheets if Necessary)

Atty Docket No.

NOVL085/NVLS-2875

Application No.: 10/785,235

Applicant: Wang et al.

Filing Date February 23, 2004

Group 2812

U.S. Patent Documents

Examiner	Ţ		J.S. Fatent I			Sub-	Filing
Initjal	No.	Patent No.	Date	Patentee	Class	class	Date
121	Al	5,789,027	08.04.98	Watkins et al.	X	17	
i	A2	6,391,932 B1	05.21.02	Gore et al.			
	A3	5,700,844	12.23.97	Hedrick et al.			
	A4	2003/0157248 A1	08.21.03	Watkins et al.			
	A5	2002/0123240 A1	09.05.02	Gallagher et al.			
	A6	6,340,628	01.22.02	Van Cleemput, et al.	 	1. 1	
	A7	6,383,955	05.07.02	Matsuki, et al.			
	A8	6,596,654	07.22.03	Bayman, et al.			
	A9	6,848,458	02.01.05	Shrinivasan et al.			
	A10		10.19.04	Humayun et al.			1
	A11	6,391,932	05.21.02	Gore et al.			
	A12	6,329,062	12.11.01	Gaynor			1
	A13		07.31.01	Chan et al.		7 1	
	A14	6,177,329	01.23.01	Pang			
	A15	5,920,790	07.1999	Wetzel et al.		1 .	
	A16	2003/0119307	06.2003	Bekiaris et al.			
	A17	6,596,467	07.22.03	Gallagher et al.			
	A18	6,667,147	12.23.03	Gallagher et al.		1 1	
	A19	6,312,793	11.06.01	Grill et al.			
	A20	6,576,345	06.10.03	Cleemput et al.			
	A21	6,677,251	01.2004	Lu et al.			
	A22	6,812,043	11.2004	Bao et al.			
	A23	6,831,284	12.2004	Demos et al.			
	A24	2002/0106500	08.2002	Albano et al.			
	A25	2003/0064607	04.2003	Leu et al.			
1_	A26	2004/0069410	04.2004	Moghadam et al.			
21	A27	6,756,085	06.29.04	Waldfried et al.			
						1	1
Examiner	1/3	1 / 1		Date Considered	/21/05	-	
	Za U	reser		71	21103		

1	Form 1449 (Modified)	Atty Docket No.	Application No.:	1
ı	•	NOVL085/NVLS-2875	10/785,235	
1	Information Disclosure	Applicant:		
١	Statement By Applicant	Wang et al.		- 1
ŀ	,	Filing Date	Group	
ł	(Use Several Sheets if Necessary)	February 23, 2004	2812	ı

Foreign Patent or Published Foreign Patent Application

Examiner		Document	Publication	Country or		Sub-	Trans	lation
Initial	No.	No.	Date	Patent Office	Class	class	Yes	No
1h1	B1	WO95/07543	03.16.95	WIPO			X	•

Other Documents

<u> </u>		Other Documents						
Examiner	ĺ							
Initial	No.	Author, Title, Date, Place (e.g. Journal) of Publication						
011	C1	Humayun et al., "Method for Forming Porous Films By Porogen Removel Combined						
Z/1		Wtih In SITU Surface Modification", Novellus Corporation, Application No.						
e n		10/404,693, filed 3/31/03, pages 1-32. Atty. Docket No. NOVLP064/NVLS-0007						
	C2	Tipton et al., "Method Of Porogen Removal From Porous Low-K Films Using UV						
	1	Radiation", Novellus Systems, Inc., Application No. 10/672,311, filed 9/26/03, pages						
1 1		1-27. Atty. Docket No. NOVLP075/NVLS-000820						
	C3	Jan, C.H., et al, 90NM Generation, 300mm Wafer Low k ILD/Cu Interconnect						
	:	Technology, 2003 IEEE Interconnect Technology Conference.						
·	C4	Wu et al., U.S. Application No. 10/789,103 (Atty Docket No.: NOVLP094), entitled:						
	_	Methods For Producing Low-K CDO Films With Low Residual Stress						
	C5	Wu et al., U.S. Application No. 10/820,525 (Atty Docket No.: NOVLP091), entitled:						
		Methods For Producing Low-K CDO Films With Low Residual Stress						
	C6	Wu et al., U.S. Application No. 10/800,409 (Atty Docket No.: NOVLP098), entitled:						
		Methods For Producing Low-K CDO Films						
	C7	U.S. Patent Application No. 10/016,017, File Date: December 12, 2001 (Atty Dkt:						
		NOVLP030)						
	C8	U.S. Patent Application No. 10/125,614, File Date: April 18, 2002 (Atty Dkt:						
	ļ	NOVLP028)						
	C9	U.S. Patent Application No. 10/202,987, File Date: July 23, 2002 (Atty Dkt:						
	l	NOVLP028X1)						
	C10							
1		Supercritical Fluids", Novellus Systems, Inc., Application No. 10/672,305, filed						
1		9/26/03, pages 1-32. Atty. Docket No. NOVLP069/NVLS-000821						
	C11							
111		Materials for Porogen Removal and Improved Mechanical Properties", Novellus						
Th		Systems, Inc., Application No. 10/800,377, filed 3/11/04, pages 1-31. Atty. Docket						
		No. NOVLP089/NVLS-2887						
Examiner _	-/-	Date Considered						
	77	Wilson 7/21/05						

Form 1449 (Modified)	Atty Docket No.	Application No.:
· · · ·	NOVL085/NVLS-2875	10/785,235
Information Disclosure	Applicant:	
Statement By Applicant	Wang et al.	
	Filing Date	Group
(Use Several Sheets if Necessary)	February 23, 2004	2812

Other Documents

Other Documents					
		C12	Wu et al., "Method and Apparatus of UV Exposure of Low Dielectric Constant		
<i> </i>	111		Materials for Porogen Removal and Improved Mechanical Properties", Novellus		
172	//	1	Systems, Inc., Application No. 10/807,680, filed 3/23/04, pages 1-34. Atty. Docket		
7 - 1	/		No. NOVLP097/NVLS-2906		
1		C13	Tipton et al., "Method Of Porogen Removal From Porous Low-K Films Using UV		
1			Radiation", U.S. Application No. 10/672,311, filed September 26, 2003, Office		
			Action dated September 7, 2004 (Atty Dkt: NOVLP075/NVLS-000820)		
	·	C14	Tipton et al., "Method Of Porogen Removal From Porous Low-K Films Using UV		
			Radiation", U.S. Application No. 10/672,311, filed September 26, 2003, Office		
1			Action dated December 28, 2004 (Atty Dkt: NOVLP075/NVLS-000820)		
		C15	Bandyopadhyay et al., "Method to Improve Mechanical Strength of Low-K Dielectric		
			Film Using Modulated UV Exposure", U.S. Patent Application No. 10/825,888, filed		
	ł		April 16, 2004 (Atty Dkt: NOVLP088US/NVLS-2882)		
		C16	R.D. Miller et al., "Phase-Separated Inorganic-Organic Hybrids for Microelectronic		
	Ì		Applications," MRS Bulletin, October 1997, Pages 44-48		
		C17	Jin et al., "Nanoporous Silica as an Ultralow-k Dielectric," MRS Bulletin, October		
	1		1997, Pages 39-42		
		C18	Asoh et al., "Fabrication of Ideally Ordered Anodic Porous Alumina with 63 nm Hole		
	1		Periodocity Using Sulfuric Acid," J. Vac. Sci. Technol. B 19(2), Mar/Apr 2001,		
1			Pages 569-572		
		C19	Asoh et al., "Conditions for Fabrication of Ideally Ordered Anodic Porous Alumina		
	1		Using Pretextured AI," Journal of the Electrochemica Society, 148 (4) B152-B156		
	(2001) Pages B152-B156				
	-	C20	Holland et al., "Nonlithographic Technique for the Production of Large Area High		
			Density Gridded Field Sources," J. Vac. Sci. Technol. B 17(2), Mar/Apr. 1999, Pages		
			580-582		
		C21	Masuda et al. "Highly Ordered Nanochannel-Array Architecture in Anodic		
			Alumina," App. Phys. Lett. 71(19), November 1997, Pages 2770-2772		
		C22			
	<u> </u>		www.hdotronic.com/whitepaper/fine-patt.pdf on March 12, 2002		
		C23	Meli et al., "Self-Assembled Masks for the Transfer of Nanometer-Scale Patterns into		
	1		Surfaces: Characterization by AFM and LFM", Nano Letters, Vol. 2, No. 2, 2002,		
	1		131-135		
	T^{-}	C24			
	<u>i</u>		2003.		
11 C25		C25	Jeffrey M. Calvert and Michael K. Gallagher, Semiconductor International, 26 (12),		
In	. /		56 (2003).		
Examiner Date Considered 7/21/05					
76 GUON 7/0/05					

Form 1449 (Modified)	Atty Docket No.	Application No.:	
	NOVL085/NVLS-2875	10/785,235	
Information Disclosure	Applicant:		
Statement By Applicant	Wang et al.		
	Filing Date	Group	
(Use Several Sheets if Necessary)	February 23, 2004	2812	

Other Documents

Other Documents					
Examiner					
Initial	No.				
141	C26	Van Bavel et al., Future Fab Int	ternational, 16, (2004).		
	C27	Caluwaerts et al, "Post Patterni Pore Sealing," IITC 2003.	ng Meso Porosity Creation: A Potential Solution For		
	C28		nd Designs to Improve Transistor Performance", April ational.		
	C29		lume Manufacturing Logic Technology Featuring ned Silicon CMOS Transistors", IEEE, © 2003.		
	C30		le Silicon Nitride – P1264 NESL", C & F Study,		
	C31	Varadarajan, et al., "Strained T	ransistor Architecture and Method", Novellus 23,259, filed August 20,2004, pages 1-24. [Atty Docket		
	C32	Materials", U.S. Application N NOVLP099)	oving The Cracking Resistance Of Low-K Dielectric to 10/860,340, filed June 2, 2004, (Atty Dkt:		
	C33	Materials", U.S. Application N (Atty Dkt: NOVLP099)	oving The Cracking Resistance Of Low-K Dielectric to 10/860,340, Office Action dated March 2, 2005,		
	C34		oving The Cracking Resistance Of Low-K Dielectric to 10/860,340, Final Office Action dated June 13,		
	C35		electric Films Using UV Curing", U.S. Application 22, 2004 (Atty Dkt: NOVLP122)		
	C36	Fox et al., "Method For Improv Constant Materials", U.S. Appl NOVLP083)	ving Mechanical Properties Of Low Dielectric lication No. 10/849,568, filed May 18, 2004 (Atty Dkt:		
	C37	Fox et al., "Methods For Producing Low-Stress Carbon-Doped Oxide Films With Improved Integration Properties", U.S. Application No. 10/987,208, filed November 12, 2004 (Atty Dkt: NOVLP104)			
	C38	Van Den Hoek et al., "VLSI Fabrication Processes For Introducing Pores Into Dielectric Materials," U.S. Application No. 11/050,621, filed January 31, 2005 (Atty Dkt: NOVLP100)			
<i>4</i> 61	C39	Draeger et al., "Creation Of Porosity In Low-K Films By Photo-Disassociation Of Imbedded Nanoparticles," U.S. Application No. 11/146,456, filed June 6, 2005 (Atty Dkt: NOVLP100X1)			
Examiner	th	toledo	Date Considered 7/21/05		

Form 1449 (Modified)	Atty Docket No.	Application No.:
	NOVL085/NVLS-2875	10/785,235
Information Disclosure	Applicant:	
Statement By Applicant	Wang et al.	
	Filing Date	Group
(Use Several Sheets if Necessary)	February 23, 2004	2812

Other Documents

Other Documents				
Examiner				
Initial	No.	Author, Title, Date, Place (e.g. Journal) of Publication		
	C40			
111	j	Using Precursors With Organic Functional Groups", U.S. Application No.		
pal	<u> </u>	10/927,777, filed August 27, 2004 (Atty Dkt: NOVLP106)		
111	C41	" = " ", " " to all o to a lamp to time a lamp to the lamb to a lamb to the lamb to		
701		Films", U.S. Application No. 10/941,502, filed September 14, 2004 (Atty Dkt:		
	ļ	NOVLP107)		
	C42	,		
111	1	in Producing Ultra Low-K Carbon Doped Oxide Films Using Radical		
the		Photopolymerization", U.S. Application No. 10/982,654, filed November 5, 2004		
	 	(Atty Dkt: NOVLP115)		
		 \		
	1			
•				
· · · · ·	 			
-				
	<u> </u>			
	<u> </u>			
	 			
<u> </u>				
Examiner	<u> </u>	Date Considered 7/2/05		
770705				